
## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: Lampemagasinet						
Supplier's address: -						
Model identifier: GLØTT BORDLAMPE SORT OPPLADBAR IP44						
Type of light so	urce:					
Lighting technology used:		LED	Non-directional or directional:	NDLS		
Light source cap-type		-				
(or other electri	ic interface)					
Mains or non-mains:		NMLS	Connected light source (CLS):	No		
Colour-tuneable light source:		No	Envelope:	-		
High luminance light source:		No				
Anti-glare shield:		No	Dimmable:	Yes		
Product parameters						
Parameter		Value	Parameter	Value		
General product parameters:						
Energy consumption in on-mo- de (kWh/1000 h), rounded up to the nearest integer		2	Energy efficiency class	F		
Useful luminous flux (φuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)		163 in Sphe- re (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	2 700		
On-mode power (P <sub>on</sub> ), expressed in W		1,5	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the second decimal	-		
Networked standby power (P <sub>n</sub> -e <sub>t</sub> ) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-va- lues that can be set	81		
Outer di-	Height	82	Spectral power dis-	See image		
mensions without separate control gear, lighting	Width Depth	82 200	tribution in the range 250 nm to 800 nm, at full-load	in last page		

control parts and non-ligh- ting control parts, if any (millimetre)						
Claim of equivalent power <sup>(a)</sup>	-	If yes, equivalent po- wer (W)	-			
		Chromaticity coordi-	0,463			
		nates (x and y)	0,430			
Parameters for LED and OLED light sources:						
R9 colour rendering index value	2	Survival factor	1,00			
the lumen maintenance factor	0,97					

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 01/05/2025.



**EPREL registration number:** 2323014 https://eprel.ec.europa.eu/qr/23

23014

Supplier: Lampemagasinet AS Website: www.lampemagasinet.no

**Customer care service:** 

Name: Website:

Email: Phone:

Address: