Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: Lampemagasinet

Supplier's address: -

Model identifier: LM 3PK LED GU10 3W 3000K 250LUMEN 36GR 230V DIMBAR Ra85

Type of light source:

Lighting technology used:	LED	Non-directional or directional:	NDLS		
Light source cap-type	-				
(or other electric interface)					
Mains or non-mains:	MLS	Connected light source (CLS):	No		
Colour-tuneable light source:	No	Envelope:	-		
High luminance light source:	No				
Anti-glare shield:	No	Dimmable:	Yes		
Product parameters					

Parameter		Value	Parameter	Value			
General product parameters:							
•.	ption in on-mo-), rounded up to ger	3	Energy efficiency class	G			
dicating if it refe a sphere (360º)	s flux (φuse), in- ers to the flux in , in a wide cone mrow cone (90º)	250 in -	Correlated colour temperature, roun- ded to the nearest 100 K, or the range of correlated colour temperatures, roun- ded to the nearest 100 K, that can be set	_			
On-mode pow pressed in W	ver (P _{on}), ex-	3,0	Standby power (P _{sb}), expressed in W and rounded to the second decimal	_			
_{et}) for CLS, expr	ndby power (P _{n-} ressed in W and second decimal	-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-va- lues that can be set	85			
Outer di-	Height	-	Spectral power dis-	See image			
mensions wit- hout sepa- rate control gear, lighting	Width Depth	-	tribution in the ran- ge 250 nm to 800 nm, at full-load	in last page			

control parts and non-ligh- ting control parts, if any (millimetre)						
Claim of equivalent power ^(a)	-	If yes, equivalent po- wer (W)	-			
		Chromaticity coordi- nates (x and y)	-			
Parameters for LED and OLED light sources:						
R9 colour rendering index value	-	Survival factor	-			
the lumen maintenance factor	-					
Parameters for LED and OLED mains light sources:						
displacement factor (cos φ1)	-	Colour consistency in McAdam ellipses	-			
Claims that an LED light source replaces a fluorescent light source without integrated bal- last of a particular wattage.	_(b)	If yes then replace- ment claim (W)	-			
Flicker metric (Pst LM)	_	Stroboscopic effect metric (SVM)	-			

(a)'-' : not applicable;

(b)'-' : not applicable;

Model placed on the Union market from 01/11/2023.Image: Sepret and Sector and Sector